## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
SI	99	(("20050232302") or ("20050251564") or ("20050251564") or ("20050251564") or ("20050255292") or ("20040216139") or ("200501559") or ("200501559") or ("7356046") or ("7356046") or ("6085156") or ("5986726") or ("6085156") or ("52293134") or ("6222134") or ("5527989") or ("5547989") or ("5547989") or ("5517614") or ("5771388") or ("57905649") or ("60975957") or ("7134081") or ("60975957") or ("7134081") or ("60975957") or ("20020184322") or ("60975957") or ("20050204675") or ("5704272") or ("5742472") or ("5742472") or ("5742472") or ("5742472") or ("5742478") or ("5734119") or ("5742478") or ("5734119") or ("5734119") or ("573419") or ("5734119") or ("6173419") or ("6173419") or ("6173419") or ("61754789") or ("590030174070") or ("50004008488") or ("5000408489") or ("5000408489") or ("5004008489") or ("517668") or ("5177698") or ("517698") or ("5177698") or ("6116159768") or ("5080628924") or ("6116159768") or ("6116159768") or ("61161589768") or ("61161589768") or ("61161589768") or ("61161589768") or ("61161589768") or ("6116159768") or ("61161589768") or ("6116158598") or ("515950828") or ("5159508	US-PGPUB; USPAT	OR	OFF	2008/11/06

	<i>онышиний выпасательный выпасательны</i>	("5788688") or ("5793813") or ("7253385") or ("7319936") or ("20050248764") or ("20050248764") or ("20060123296") or ("20070253056") or ("6421745") or ("5636344") or ("5850386") or ("5850386") or ("4945806") or ("4914688") or ("4945806") or ("4985274") or ("572675") or ("5287528") or ("5528675") or ("5726875") or ("5726				
S2	119	(@ay<="2004" OR @rlad<="20040415") AND SOPI AND (translat\$3 OR convert\$3 OR transform\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:04
S3	282	(@ay<="2004" OR @rlad<="20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH protocol ADJ (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:04
S4	4	(@ay<="2004" OR @rlad<="20040415") AND SCP AND (translat\$3 OR convert\$3 OR transform\$3) WITH protocol ADJ (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:04
S5	86	(@ay<="2004" OR @rlad<="20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH protocol ADJ (command OR instruction) AND API	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:04
S6	103	(@ay<="2004" OR @rlad<="20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH protocol ADJ (command OR instruction OR query) AND API	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:04
S7	17	(@ay<="2004" OR @/lad<= '20040415") AND SCPI AND "NET"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:04
S8	17	[(@ay<="2004" OR @rlad<="20040415") AND SCPI AND "NET" AND (translat \$3 OR convert\$3 OR transform \$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:04

S9	1	("7134081").PN.	US-PGPUB; USPAT	OR	OFF	2008/11/06 15:04
S10	17	[(@ay<="2004" OR @rlad<="20040415") AND SCPI AND NET AND (translat \$3 OR convert\$3 OR transform \$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:04
S11	164	(@ay<="2004" OR @rad<= "20040415") AND ((Standard ADJ Instrument\$6) OR SCPI) AND NET AND (translat\$3 OR convert\$3 OR transform\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:04
S12	11	(@ay<="2004" OR @lad<="20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) WITH protocol WITH validat \$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:04
S13	43	(@ay<="2004" OR @iad<="20040415") AND (translat53 OR convert\$3 OR transform\$3) WITH (command OR instruction OR query) WITH protocol SAME validat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:05
S14	37	[(@ay<= "2004" OR @/lad<= "20040415") AND (translats3 OR converts3 OR transform\$3) WITH (command OR instruction OR query) WITH protocol AND validats3 WITH parameter	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:05
S15	8	(@ay<="2004" OR @rad<="20040415") AND SIPA AND "NET" AND (API OR (Application ADJ Programming ADJ Interface))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:05
S16	139	(@ay<="2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) SAME validity WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:05
S17	25	(@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND (command OR query) WITH validat\$3 WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:05

S18	4	(("7134081") or ("20050091269") or ("5958010") or ("20020124108")).PN.	US-PGPUB; USPAT	OR	OFF	2008/11/06 15:05
S19	3	(@qyc="2004" OR @rlad<= "20040415") AND (translat83 OR convert83 OR transform\$3) AND (stream ADJ format) AND (command OR query) WITH validat83 WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:05
S20	49	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) SAME (stream ADJ format) SAME (command OR query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:06
S21	5	(@ay<= "2004" OR @rlad<= "20040415") AND before WITH (translat\$3 OR convert\$3 OR transform\$3) SAME (stream ADJ format) SAME (command OR query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:06
S22	16	(@ay<="2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) WITH protocol SAME NET	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:06
S23	8	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME NET ADJ protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:06
S24	288	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME NET	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:06
S25	328	[(@ay<="2004" OR @rlad<="20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) WITH validat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:07

S26	86	[(@ay<= "2004" OR @lad<= "20040415") AND (translat83 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME (((determin\$ OR ascertain\$) ADJ validity) OR validat\$3) WITH (parameter OR setting OR configuration)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:07
S27	88	[@qyc="2004" OR @rlad<= "20040415") AND (translat83 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME (((determin\$ OR ascertain\$ OR evaluat\$3) ADJ valid\$3) OR validat\$3) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USCOR; EPO; DEFWENT; IBM_TDB	OR	ON	2008/11/06 15:07
S28	193	[@qyc="2004" OR @rlad<="20040415") AND (translat83 OR convert\$3 OR transform\$3) WITH (command OR instruction) AND (((determin\$ CR ascertain \$ CR evaluat\$3) ADJ validity) OR validat\$3) MJ Hommand WITH (parameter OR setting OR configuration)	US-PCPUB; USPAT; USCOR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:07
S29	48	(@qyc="2004" OR (@rlad<= "20040415") AND (translat83 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME (((determins OR ascertain\$ OR evaluat\$3) ADJ validity) OR validat\$3) WITH command WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USCOR; EPO; DEFWENT; IBM_TDB	OR	ON	2008/11/06 15:07
S30	54	[(@ay<= "2004" OR @/lad<= "2004'015") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME (((determin\$ OR ascertain\$ OR evaluat\$3) ADJ validity) OR evaluat\$3) WITH (command OR instruction) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:07
S31	4	(@ay<="2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH SCPI ADJ protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:07

S32	28	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH SOPI	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:08
S33	49	(@ay<= "2004" OR @rlad<= "20040415") AND (translated OR converted OR transformed) ADJ5 (command OR instruction) WITH validat \$3		OR	ON	2008/11/06 15:08
S34	357	(@ay<= "2004" OR @rlad<= "20040415") AND "710".clas. AND status ADJ register WITH (queue OR FIFO)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/06 15:08
S35	1	("6766386").PN.	US-PGPUB; USPAT	OR	OFF	2008/11/06 15:08

<sup>11/24/2008 2:26:25</sup> PM

C:\ Documents and Settings\ hyu\ My Documents\ EAST\ Workspaces \ 10825466\_SCPI\_NET\_Translation\_A.wsp